

eko
okna

SALAMANDER®
myWindow



PVC WINDOW, DOOR, AND SLIDING SYSTEMS

SALAMANDER

GERMAN ENGINEERING, POLISH RELIABILITY

www.ekookna.com

DISCOVER THE BEAUTY OF PRISTINE PROFILES

Legendary whiteness, real savings



This publication does not constitute a commercial offer. It is not a basis for filing complaints.
The presented photographs are illustrative and not actual photos of the products.

Salamander systems are renowned for their premium quality profiles, visible in the perfect gloss of the material and felt through their smooth surface. Perfect craftsmanship is not just about aesthetics—it is, above all, a guarantee of long-term durability and high resistance to discoloration. Lower-quality profiles are coarse, and although their irregularities may be hard to spot, these imperfections encourage dirt accumulation.



Premium parameters that drive sales

The high acoustic and thermal insulation of Salamander systems translates into comfortable interiors while positively impacting heating costs. This is achieved through perfectly refined designs, offering exceptional performance parameters for the profiles themselves, as well as the availability of advanced, extensive glazing packages. Daily thermal comfort and relaxation in silence are invaluable.



Simple installation and reliability for years

Proven and valued Salamander solutions offer simple installation, convenient operation, and durability that will provide benefits for many years. Every element of Salamander systems is designed for long, trouble-free operation, which—provided simple, basic maintenance is performed—will be the daily reality for users of windows, doors, and sliding systems for a period far exceeding the formal warranty.

window and door system

greenEvolution Flex

Flexible adaptation to the customer's vision

Green Evolution Flex adapts to your customer's needs. It is an attractive proposition for new buildings, enticing with its modern form, but above all, it is the optimal solution for cost-effective renovation. The 3D variant features an additional seal and a sixth chamber in the frame, a proposal for the most energy-efficient houses and apartments.



0,77-1,20
 $W/(m^2 \times K)$



2D: from 1,3
3D: from 1,1
 $W/(m^2 \times K)$



29-38 dB
(estimated)

Technical parameters:

76

Construction depth (mm):

5/6

Number of chambers
in the frame:

5

Number of chambers
in the sash:

2/3

Number of seals:

48

Glazing up
to thickness (mm)

Available variants:



Standard 2D



2D | Renovation | 35 mm



2D | Renovation | 65 mm



Standard 3D



3D | Renovation | 35 mm



3D | Renovation | 65 mm



Fixed window



1-sash window



2-sash window

Air permeability	class 4	class 4	class 4
Watertightness	class 7A	class 7A	class 7A
Resistance to wind load	class C3	class C4	class C3


window and door system

bluEvolution 82

The golden mean of energy efficiency

BluEvolution 82 is the first choice for countless families worldwide who responsibly plan their future. It is ideal for new energy-efficient construction, where in addition to thermal comfort, it guarantees plenty of healthy, natural light entering the interior and effective dampening of ambient noise.

Warmth and peace—that is the promise of bluEvolution 82.



U_w

0,74-1,10
 $W/(m^2 \times K)$

U_f

from 1,0
 $W/(m^2 \times K)$

R_w

29-38 dB
(estimated)

Technical parameters:

82

Construction depth (mm):

6

Number of chambers
in the frame:

6

Number of chambers
in the sash:

3

Number of
seals:

53

Glazing up
to thickness (mm)

Available variants:



Standard CL



Renovation | HO9110 | 35 mm



Renovation | HO9100 | 60 mm

Aluminum covers

Achieve the unique aesthetics of aluminum windows available with PVC windows thanks to aluminum covers. Modern minimalism combines with additional protection for the plastic profiles through their use. Covers can be lacquered in any colour from the RAL palette.



Aluminum cover



Fixed window



1-sash window



2-sash window

Air permeability	class 4	class 4	class 3
Watertightness	class 9A	class 9A	class 8A
Resistance to wind load	class C3	class C4	class C3/B4

window and door system

bluEvolution 92

Modern technology serving the family

BluEvolution 92 sets the standard for the warmest joinery, designed for passive housing, and is indispensable wherever low heating bills are a priority. The center seal used here improves tightness and creates a dry chamber for the hardware, significantly extending its service life.



U_w

7,73-1,1
 $W/(m^2 \times K)$

U_f

from 1,0
 $W/(m^2 \times K)$

R_w

29-38 dB
(estimated)

Technical parameters:

92

Construction depth (mm):

6

Number of chambers
in the frame:

6

Number of chambers
in the sash:

3

Number of seals:

61

Glazing up to thickness
(mm)



Fixed window



1-sash window



2-sash window

Air permeability

class 4

class 4

class 4

Watertightness

class 9A

class 8A

class 8A

Resistance to wind load

class C3

class C4

class C3/B4

sliding system

evolutionDrive SF

A gateway to convenience

Lightweight and easy to operate, yet simultaneously solid and durable, the evolutionDrive SF sliding system is the best aid in creating large, comfortable spaces. It allows for an economical connection between the terrace and the living room wherever high energy-saving solutions are not required. Its large glazings will liven up any interior and fill it with natural sunlight—a source of health and good mood.



U_w

from 1,3
 $W/(m^2 \times K)$

U_f

from 1,8
 $W/(m^2 \times K)$

Technical parameters:

76

Frame depth (mm):


52/88

Frame/sash height (mm):


28

Glazing up
to thickness (mm):


Available schemes:



Scheme A



Scheme C



Scheme D



	Scheme A	Scheme C	Scheme D
Air permeability	class 4	class 4	class 3
Watertightness	class 8A	class 2A	class 7A
Resistance to wind load	class C3/B3	class C2/B3	class C2/B3

sliding system

evolutionDrive Plus⁺

A warm and economical sliding system

The prestige and comfort of owning a sliding system is an easily achievable goal thanks to evolutionDrive Plus+, a new generation system. It combines all the most important advantages of sliding solutions without significant compromises or high installation requirements. Smooth operation, large glazings in cubist profiles, and excellent performance parameters—especially very high tightness—make it a significant added value for every home. Also in energy-efficient and passive buildings.



U_w

from 1,5
 $W/(m^2 \times K)$

U_f

from 1,1
 $W/(m^2 \times K)$

Technical parameters:

152

Frame depth (mm):


54/88

Frame/sash height (mm):


49

Glazing up
to thickness (mm):

Available schemes:



Scheme A



Scheme C




	Scheme A	Scheme C
Air permeability	class 4	class 4
Watertightness	class 2A	class 2A
Resistance to wind load	class C1	class C1

lift-and-slide system

evolutionDrive 82 HST

Best in its class

Warmth, tightness, comfort, convenient operation, light, and increased property value—this long list of advantages proves that the evolutionDrive 82 HST lift-and-slide system is the best choice one can make in the world of joinery. These sliding doors will connect the terrace with the living room, creating a seamless space that delights guests and gives children a place for safe play.



0,74-1,10
 $W/(m^2 \times K)$



from 1,0
 $W/(m^2 \times K)$



29-38 dB
(estimated)

Technical parameters:

194

Construction depth (mm):

5

Number of chambers
in the frame:

5

Number of
chambers in the sash:


2

Number of
seals:


53

Glazing up
to thickness (mm):


Available schemes:




Scheme A




Scheme C



Scheme D




Scheme G




Scheme K




	Scheme A	Scheme C	Scheme D	Scheme G	Scheme K
Air permeability	class 3	class 3	class 3	class 4	class 4
Watertightness	class 3A	to class 3A	class 3A	to class 9A	to class 9A
Resistance to wind load	class C2/B2	class C1	class C1/B2	class C2/B2	class C2/B2



greenEvolution Flex 2D




bluEvolution 82




bluEvolution 92







evolutionDrive SF



evolutionDrive Plus+




evolutionDrive 82 HST




Colours


The pristine whiteness of Salamander profiles beautifully complements countless homes worldwide, but it also serves as a foundation for realising bold visions. The vast number of available veneers—classic, wood-like, and modern—ensures that every customer will find options that help realise the dream of perfect joinery.




SAL 03




SAL 06




SAL 08




SAL 10




SAL 11




SAL 18




SAL 19




SAL 21




SAL 25




SAL 26




SAL 27




SAL 30



SAL 33




SAL 34



SAL 37



SAL 39




SAL 42




SAL 43




SAL 44




SAL 50




SAL 51




SAL 52




SAL 55



SAL 59



SAL 69




SAL 71




SAL 72




SAL 73




SAL 74



SAL 77




SAL 78




SAL 84




SAL 87




SAL 88




SAL 90




SAL 91




SAL 92




SAL 95



SAL 96




SAL 98




SAL 107




SAL 108




SAL 109



SAL 110




SAL 111



SAL 112



SAL 113



SAL 115



SAL 116

Accessories

Create joinery perfectly tailored to the customer's needs and preferences with a rich selection of accessories that allow for the creation of unique designs.



Warm edge spacers

Even better thermal insulation and less frequent condensation on glass edges.



Air vents

Always perfect indoor humidity, effortlessly.



Threshold substructures

Perfect installation in all conditions, warm and secure.



Muntins

An impressive division of panes in many unusual ways.



Hinge covers

Aesthetic protection for hinges in a matching colour.



Window sills

Window finishing that guarantees a perfect final result.



Handles

An ergonomic and impressive way to comfortably operate the joinery.



IntelliTAG™ Air io

Intelligent protection of doors and windows against intruders.



SWISSPACER Air

Protection of glass panes against changes in altitude and temperature.



See all accessories
at ekookna.com

10.09.2026

Eko-Okna S.A.
ul. Spacerowa 4
47-480 Kornice

www.ekookna.com

